

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

22B
\$0360
R3

COPY OF PAPERS
ORIGINALLY FILED

In Re Application of:

Bristol


) Atty. Docket 539.337.2.1

Serial No. 10/025,023

) Art Unit 3762

Filed: 12/19/2001

For: IMPLANTABLE MEDICAL
DEVICE MANAGEMENT
SYSTEM



Assistant Commissioner
for Patents

Washington, D.C. 20231

RESPONSE TO NOTICE TO FILE CORRECTED APPLICATION PAPERS


SIR:

This is responsive to the Notice to File Corrected Application Papers mailed January 24, 2002. Enclosed are eighteen (18) sheets of formal drawings and a copy of the Notice to File Corrected Application Papers, as required. Also enclosed is a Petition and Fee for Extension of Time. It is believed that applicant has complied with all requirements set forth in the Notice.

Respectfully submitted,

Dated: 4/24/02

Thomas L. McMasters
Reg. No. 45,593
FREDRIKSON & BYRON, P.A
Customer no. 022859
1100 International Centre
900 Second Avenue South
Minneapolis, MN 55402-3397
(612) 347-7087



UNITED STATES PATENT AND TRADEMARK OFFICE

COMMISSIONER FOR PATENTS
UNITED STATES PATENT AND TRADEMARK OFFICE
WASHINGTON, D.C. 20231
www.uspto.gov

APPLICATION NUMBER	FILING/RECEIPT DATE	FIRST NAMED APPLICANT	ATTORNEY DOCKET NUMBER
10/025,023	12/19/2001	Guy Scott Bristol	539.337.2.1

CONFIRMATION NO. 5876

FORMALITIES LETTER



OC000000007356053

Thomas L. McMasters
Fredrikson & Byron, P.A.
1100 International Centre
900 Second Avenue South
Minneapolis, MN 55402

COPY OF PAPERS
ORIGINALLY FILED

already docketed [signature]

Date Mailed: 01/24/2002

NOTICE TO FILE CORRECTED APPLICATION PAPERS

Filing Date Granted

This application has been accorded an Application Number and Filing Date. The application, however, is informal since it does not comply with the regulations for the reason(s) indicated below. Applicant is given **TWO MONTHS** from the date of this Notice within which to correct the informalities indicated below. Extensions of time may be obtained by filing a petition accompanied by the extension fee under the provisions of 37 CFR 1.136(a)

The required item(s) identified below must be timely submitted to avoid abandonment:

- Substitute drawings in compliance with 37 CFR 1.84 because:
 - drawing sheets do not have the appropriate margin(s) (see 37 CFR 1.84(g)). Each sheet must include a top margin of at least 2.5 cm. (1 inch), a left side margin of at least 2.5 cm. (1 inch), a right side margin of at least 1.5 cm. (5/8 inch), and a bottom margin of at least 1.0 cm. (3/8 inch);

*A copy of this notice **MUST** be returned with the reply.*

Margaret
Customer Service Center

Initial Patent Examination Division (703) 308-1202

PART 2 - COPY TO BE RETURNED WITH RESPONSE

Received Intellectual
Property Department

JAN 30 2002